

hadewe

beauty & medical equipment



2026

UK & International Catalogue

Contents

Company Profile	3
Technology	4-6
Signs & Symbols	7
Suction Unit Survey	8-9
Suction Unit SB-X40 Plus	10
Suction Unit SB-X40 Chrome	11
Suction Unit BX-Premium Plus	12-13
Suction Unit BX-Premium Chrome	14-15
BX-Premium Disassembled	16-17
Spray Unit Survey	18-19
Spray Unit Basic	20-21
Spray Unit Premium	22-23
Domiciliary Drill Nail-X	24
Carry Cases	26-27
Foot Rests	28-29
Magnifying Light Spectra	30
Material Bags	31
Supplies & Spare Parts	32-33
Additional Product Information	34-35

hadewe Company Profile

Tradition & Innovation

We are a long standing family company, and our decisions are made from heart and mind, and based on experience. At hadewe, traditional aspects are mixed with innovative technology to provide the best possible service for our business partners for over 50 years, and for a long time to come.

The hadewe GmbH was founded in 1967 by Herbert Menzel in Hannover, Germany. We started as a supplier of milling and turning parts for the industry, and used that experience to provide a specialized product portfolio for the dental sector in the early 80s. This led to us being a major manufacturer for the professional foot care sector. We expanded this position during the 90s, first within the European countries, and later in further international countries, and also as a main brand name in Germany.

Since 2005 the company has been run by Chris and Stephan Menzel, and we have established ourselves to be market leader in the foot care field in many countries all over the world.

Made in Germany

Our service encompasses the whole spectrum of machines required for the foot care sector.

„Made in Germany“ is not just a phrase for hadewe. Many of even the smallest parts are designed and manufactured within our production facilities in Hannover. Our company philosophy includes high quality at reasonable prices, and finding fast, efficient and flexible solutions to react to market demands.

Our Products – Your Advantage

For the professional foot care it is of extreme importance that they can rely on their drills and equipment, since this will enable them to provide the best service for their customers. hadewe supports that goal by manufacturing easy-to-use drills with the latest technology and highest quality.

Our competent partners all over the world will be happy to help you to find the best suited hadewe machine for your purposes as well.



Our Product Know How

It is our goal to simplify the work day for foot care worldwide. We use our product know-how to create or establish some innovative technologies, which will help to make the work more efficient.



hadewe Vaporizing Spray System

hadewe offers a fine spray system, which is unique in the foot care market. We use a compressor system and a complex nozzle technique, which allows the spray to come out in a fine vapor (mist) that can be controlled to the smallest degree. Other companies often use a different „pumping system“ where the spray jet is rather rough and comes in erratic intervals (much like a garden tube). This „flooding“ process leads to the whole process becoming uncontrollable and unnecessarily wet. With the hadewe Vaporizing Spray System you have full control of the spray amount and can evenly spread the finest vapor over the treatment area.

Spray Handpiece



Suction Handpiece

Powerful Suction Technology

The hadewe suction technology is powerful and efficient. Most of our handpieces have a point or side suction, which is located at the side of the handpiece. The exact positioning of the point suction has proven to be more effective in our tests than the round suction, since it is concentrated directly on the spot where the instrument is used. Although if you prefer a round suction, we also have that for some models. Both technologies guarantee a clean and hygienic work process.

Suction Handpiece



Light Handpiece

Optimum Illumination

Some of our handpieces are equipped with light function. The powerful LED ensures the optimum illumination of the treatment space. This is possible, because our light is bright enough to let you see through vacuum dust.

Light Handpiece






Power Clamping System

The handpiece is equipped with a unique, patented clamping system. A chuck will open inside the handpiece by pressing the well-known hadewe knob forward. The instrument can now be entered into the unit without any resistance. This is especially important with smaller, sharp edged tools, since they can cause injury, if you need too much force to enter an instrument.

Pushing the knob back again will close the chuck, and the tool will be held very secure, even at high speeds. The tight grip also ensures the low-vibration running of the handpiece for which hadewe is famous. Conventional clamping systems with automatic clamping work with a mechanism in which rolls inside the handpiece wedge the instrument under pressure. At these systems it is not possible to enter the instrument without resistance.

The handpieces with automatic clamping are also more sensitive to small deviations of tool tolerances. This will lead to higher vibration and poor holding force. That's why the power clamping system is superior in many ways.

Power Clamping System



Ultra-Silent High Performance Suction

According to customer surveys a silent suction is one of the most important criteria to buy a foot care drill. The motor itself, as well as the quality of sound damping are important factors. The use of different kinds of insulating material makes it possible to reduce a wide spectrum of noise. After all, neither a high frequency squeaking nor a dull humming should disturb your treatment.

Regular suction turbines are working with so called brush motors. The brushes are grinding on the turning engine shaft, and this wears them down. This conventional technology has been successfully implemented a thousand times. However, it has the disadvantages of high brushes attrition as well as a larger and heavier construction. The suction turbine implemented into the newer hadewe models is based on a technology without brushes. This method is also used in modern computer ventilators for example. The advantage is less attrition and significantly less weight.

Suction Turbine





Cleaning & Maintenance

A simple and fast maintenance of the most basic components is one of the important qualities of the hadewe handpieces. The chuck can be easily removed with the spanner tool delivered with every unit. Loosen the top of the handpiece, and then turn out the chuck. The whole procedure takes less than one minute.



Filter Classification M

The filter bags 5179 are classified as class M filters by the BIA (Germany's Health and Safety Institute for the work environment), meaning they have a dust retention capacity of 99,9%. We also offer conventional paper filters 5115 for our more basic models, but these are not to be used with the newer silent units.



Optional Foot Switch

Most of our units have an optional foot switch available. You can switch the units on and off by keeping the switch pressed.

Signs & Symbols Of The Drill Features



Spray Handpiece



Suction Handpiece



Light Handpiece



Extra Large Speed Display



Power Clamping System



Automatic Clamping System



Easy-To-Clean



Regular & Reverse Switch (left / right)



Micro Filter Class M (BIA)



Brushless Hand Piece Motor



Brushless Suction Turbine



Noise Level 1 (very low)



Noise Level 2 (low)



Noise Level 3 (normal)



Display Clock / Date



Display Info Filter Change / Last Inspection



Memory Function For Preferred Speed Steps



Memory Function For Suction Steps



Foot Switch (optional)



CE Mark



UKCA Mark

Unit	Article No.	Speed rpm	Total Weight kg	Handpiece Size	Noise Level	Digital Display	Power Clamping System	Regular & Reverse Switch
SB-X 40 PLUS								
	6949 6951	40.000	3,8	small				
SB-X 40 CHROME								
	6950 6952	40.000	3,8	small				
BX PREMIUM PLUS								
	6975 6977	40.000	2,7	medium				
BX PREMIUM CHROME								
	6976 6978	40.000	2,7	small				

Brushless Handpiece Motor	Brushless Suction Turbin	Foot Switch (optional)	CE	UKCA
SB-X 40 PLUS				
				
SB-X 40 CHROME				
				
BX PREMIUM PLUS				
				
BX PREMIUM CHROME				
				

Suction Unit SB-X40 Plus

Classic Basic Foot Care Suction Unit

This unit is a successor of the classic SB series, which has been reinvented many times during the long years of its existence. We are always upgrading our drills to meet the current market demands.

The SB-X 40 is a vacuum device designed for the foot care field. The model has a digital speed display and an easy-to-clean membrane keyboard. The powerful suction motor is stored on rubber pads to protect it

during transport. The SB-X40 has a speed of up to 40.000 rpm and has the CE mark as well as the new UKCA mark. The PLUS handpiece features our classic power-clamping system with side suction.



Control Unit	
Size in mm	W 273 x H 142 x D 186
(incl. exterior parts)	B 313 x H 142 x D 235
Weight	3,8 kg
Suction Motor	Motor with brushes
Voltage	230/240 V, 50 Hz, 550 W
Noise Level	64dB (A)
Conformity Mark	CE mark & UKCA mark
Carry Cases	Suitable for all hadewe carry cases

Handpiece	
Speed	6.000 - 40.000 rpm
Length	142 mm
Diameter	17 - 22 mm
Clamping System	hadewe Power Clamping
Handpiece Motor	Brushless
Weight	138 g

Price			
Art. No	Description	Price Group	Price
6949	SB-X40 PLUS with 40.000 rpm and UK Plug	1	1.199,00 €
6951	SB-X40 PLUS with 40.000 rpm and German Plug	1	1.199,00 €
0970	Foot Switch	1	49,00 €
5179	Micro Filter	1	2,25 €

Features

Suction Handpiece	Speed	Noise Level	Power Clamping System	Foot Switch (optional)	No Medical Device	UKCA Mark

Suction Unit **SB-X40 Chrome**

Classic Basic Foot Care Suction Unit

This unit is a successor of the classic SB series, which has been reinvented many times during the long years of its existence. We are always upgrading our drills to meet the current market demands.

The SB-X 40 is a vacuum device designed for the foot care field. The model has a digital speed display and an easy-to-clean membrane keyboard. The powerful suction motor is stored on rubber pads to protect it

during transport. The SB-X40 has a speed of up to 40.000 rpm and has the CE mark as well as the new UKCA mark. The CHROME handpiece features a round suction with automatic clamping and is very short in length.



Control Unit	
Size in mm	W 273 x H 142 x D 186
(incl. exterior parts)	B 313 x H 142 x D 235
Weight	3,8 kg
Suction Motor	Motor with brushes
Voltage	230/240 V, 50 Hz, 550 W
Noise Level	64dB (A)
Conformity Mark	CE mark & UKCA mark
Carry Cases	Suitable for all hadewe carry cases

Handpiece	
Speed	6.000 - 40.000 rpm
Length	118 mm
Diameter	20 - 24 mm
Clamping System	Automatic Clamping
Handpiece Motor	Brushless
Weight	120 g

Price			
Art. No	Description	Price Group	Price
6950	SB-X40 CHROME with 40.000 rpm and UK Plug	1	1.279,00 €
6952	SB-X40 CHROME with 40.000 rpm and German Plug	1	1.279,00 €
0970	Foot Switch	1	49,00 €
5179	Micro Filter	1	2,25 €

Features



Suction Handpiece



Speed



Noise Level



Automatic Clamping System



Foot Switch (optional)



No Medical Device



UKCA Mark


Suction Unit BX-Premium Plus

Super Silent Brushless Suction Unit

This super silent, low-weight hadewe unit is equipped with a brushless suction motor, which is not disturbing you at all with any noise, and is also much lower in weight. It is a pleasure for your ears and your back and will simplify your work process as lot.

The BX-Premium is a vacuum device designed for the foot care field. The model has a digital display, an easy-to-clean keyboard and the CE mark as well as the new UKCA mark. The powerful motor enables working at speeds of 6.000-40.000 rpm.

The PLUS handpiece is equipped with our patented power clamping system, and the knob is made out of TPE (thermoplastic elastomer) to allow maximum comfort when using it. It has a side suction that allows removing the dust at an exact point.



HANDPIECE WITH SUCTION



EASY FILTER EXCHANGE



ULTRA-SILENT HIGH PERFORMANCE SUCTION



Control Unit	
Size in mm	W 273 x H 142 x D 186
(incl. exterior parts)	B 313 x H 142 x D 235
Weight	2,7 kg
Suction Motor	Maintenance-free brushless suction motor
Voltage	230 V, 50 Hz, 200 W
Noise Level	49 db (A) min. – 55 dB (A) full throttle
Conformity Mark	CE mark & UKCA mark
Carry Cases	Suitable for all hadewe carry cases

Handpiece	
Speed	6.000 - 40.000 rpm
Length	144 mm
Diameter	19 - 25 mm
Clamping System	hadewe Power Clamping
Handpiece Motor	Brushless
Weight	150 g

Price			
Art. No	Description	Price Group	Price
6975	BX Premium PLUS with 40.000 rpm and UK Plug	9	1.499,00 €
6977	BX Premium PLUS with 40.000 rpm and German Plug	9	1.499,00 €
0970	Foot Switch	1	49,00 €
5179	Micro Filter	1	2,25 €

Features



Suction Handpiece



Speed



Noise Level



Brushless Suction Turbine



Power Clamping System



Foot Switch (optional)



No Medical Device



UKCA Mark

Suction Unit BX-Premium Chrome

Super Silent Brushless Suction Unit

This super silent, low-weight hadewe unit is equipped with a brushless suction motor, which is not disturbing you at all with any noise, and is also much lower in weight. It is a pleasure for your ears and your back and will simplify your work process as lot.

The BX-Premium is a vacuum device designed for the foot care field. The model has a digital display, an easy-to-clean keyboard and the CE mark as well as the new UKCA mark. The powerful motor enables working at speeds of 6.000-40.000 rpm.

The CHROME handpiece is equipped with round suction, which is popular in the UK and other countries. It is easy to use due to its automatic clamping system. You can simply insert the instruments in the front tip. The handpiece is further very short in length.



HANDPIECE WITH SUCTION



EASY FILTER EXCHANGE



ULTRA-SILENT HIGH PERFORMANCE SUCTION



Control Unit	
Size in mm	W 273 x H 142 x D 186
(incl. exterior parts)	B 313 x H 142 x D 235
Weight	2,7 kg
Suction Motor	Maintenance-free brushless suction motor
Voltage	230 V, 50 Hz, 200 W
Noise Level	49 db (A) min. – 55 dB (A) full throttle
Conformity Mark	CE mark & UKCA mark
Carry Cases	Suitable for all hadewe carry cases

Handpiece	
Speed	6.000 - 40.000 rpm
Length	118 mm
Diameter	20 - 24 mm
Clamping System	Automatic Clamping
Handpiece Motor	Brushless
Weight	120 g

Price			
Art. No	Description	Price Group	Price
6976	BX Premium CHROME with 40.000 rpm and UK Plug	9	1.579,00 €
6978	BX Premium CHROME with 40.000 rpm and German Plug	9	1.579,00 €
0970	Foot Switch	1	49,00 €
5179	Micro Filter	1	2,25 €

Features



Suction Handpiece



Speed



Noise Level



Brushless Suction Turbine



Automatic Clamping System



Foot Switch (optional)



No Medical Device





UKCA Mark

BX-Premium Disassembled

Easy maintenance and long term repair is important for our distributors, especially overseas, or where long distances, customs and freight can make a replacement difficult and expensive. The BX-Premium was constructed to be disassembled into 5-6 main components to make maintenance and long term repairs easier to handle for our service partners.


Components	
Art. No.	Description
6094	Housing
6712	Membrane Keyboard
6188	Electronic Board
6288	Suction Turbine Complete
6278	Suction Tube
6297	Handpiece Cable
6295	Handpiece Part



SUCTION TURBINE COMPLETE



HOUSING



MEMBRANE KEYBOARD




HANDPIECE PART



HANDPIECE CABLE



HANDPIECE TUBE



ELECTRONIC BOARD

Unit	Article No.	Speed rpm	Total Weight kg	Handpiece Size	Noise Level	Digital Display	Power Clamping System	Regular & Reverse Switch
SPRAY BASIC								
	6979	40.000	3,4	small				
	6984							
SPRAY PREMIUM								
	6986	40.000	3,4	small				
	6987							

Brushless Handpiece Motor	Light Handpiece	Memory Speed	Foot Switch (optional)	CE	UKCA
SPRAY BASIC					
					
SPRAY PREMIUM					
					

Spray Unit Basic

Basic Foot Care Spray Unit

The Spray Basic unit is equipped with the fine hadewe Vaporizing Spray technology, that allows working with spray liquids without alcohol additive (e.g. just with distilled water and our AquaHy concentrate). That protects the patient and especially the user in long hours of continuous work.

The speed shown in the digital display can be variably adjusted up to 40.000 rpm.

There are a couple of important functions to increase this spray unit's value for the user.


The first is a rinsing function with which a strong stream of water is used to rinse off the remains of skin and nails. The second is a drying function, where air is used to dry the spot of a recent treatment. Similarly, an automatic cleaning function is used to prevent blockage in the spray nozzle.

Handpiece and spray can be switched on and off (separately or both) with an optional foot switch.

The Spray Basic is further equipped with the efficient hadewe power clamping mechanism. It also features 3 memory settings that allow you to pre-set and save 3 different preferred speed settings.



SPRAY HANDPIECE



MEMORY FUNCTION



REMOVABLE WATER TANK



Control Unit	
Size in mm	W 245 x H 133 x D 190
(incl. exterior parts)	B 282 x H 133 x D 190
Weight	3,5 kg
Voltage	230 V, 50 Hz, 120 W
Spray System	hadewe Vaporizing Spray System (200 ml tank)
Functions	Left/right, rinsing, drying & cleaning, memory settings
Conformity Mark	CE mark & UKCA mark
Carry Cases	Suitable for all hadewe carry cases

Handpiece	
Speed	6.000 - 40.000 rpm
Length	143 mm
Diameter	17 - 22 mm
Weight	160 g
Clamping System	hadewe Power Clamping
Light at Handpiece	No
Handpiece Motor	Brushless
Instrument Shaft Size	Ø 2,35 mm

Price			
Art. No	Description	Price Group	Price
6979	Spray Basic Unit with UK Plug	1	1.499,00 €
6984	Spray Basic Unit with German Plug	1	1.499,00 €
0970	Foot Switch	1	49,00 €
8555	AquaHy alcohol free Spray Fluid (100 ml concentrate = 5 l fluid)	1	19,90 €

Features



Spray Handpiece



Speed



Noise Level



Power Clamping System



Light Handpiece



Memory Function For Speed



Foot Switch (optional)



CE Mark



UKCA Mark

Spray Unit Premium

Foot Care Spray Unit With Light Handpiece

The Spray Premium unit is equipped with the fine hadewe Vaporizing Spray technology, that allows working with spray liquids without alcohol additive (e.g. just with distilled water and our AquaHy concentrate). That protects the patient and especially the user in long hours of continuous work.

The speed shown in the digital display can be variably adjusted up to 40.000 rpm.


There are a couple of important functions to increase this spray unit's value for the user.

The first is a rinsing function with which a strong stream of water is used to rinse off the remains of skin and nails. The second is a drying function, where air is used to dry the spot of a recent treatment. Similarly, an automatic cleaning function is used to prevent blockage in the spray nozzle.

Handpiece and spray can be switched on and off (separately or both) with an optional foot switch. The Spray Premium is further equipped with the efficient hadewe power clamping mechanism and features 3 memory settings that allow you to pre-set and save 3 preferred speed settings. The powerful light source at the top of the handpiece provides a pleasant work environment even under subpar light conditions.



SPRAY HANDPIECE WITH LIGHT



MEMORY FUNCTION



REMOVABLE WATER TANK



Control Unit	
Size in mm	W 245 x H 133 x D 190
(incl. exterior parts)	B 282 x H 133 x D 190
Weight	3,5 kg
Voltage	230 V, 50 Hz, 120 W
Spray System	hadewe Vaporizing Spray System (200 ml tank)
Functions	Left/right, rinsing, drying & cleaning, memory settings
Conformity Mark	CE mark & UKCA mark
Carry Cases	Suitable for all hadewe carry cases
Light Function	Yes

Handpiece	
Speed	6.000 - 40.000 rpm
Length	143 mm
Diameter	17 - 22 mm
Weight	160 g
Clamping System	hadewe Power Clamping
Light at Handpiece	Yes
Handpiece Motor	Brushless
Instrument Shaft Size	Ø 2,35 mm

Price			
Art. No	Description	Price Group	Price
6986	Spray Premium Unit with UK Plug	1	1.799,00 €
6987	Spray Premium Unit with German Plug	1	1.799,00 €
0970	Foot Switch	1	49,00 €
8555	AquaHy alcohol free Spray Fluid (100 ml concentrate = 5 l fluid)	1	19,90 €

Features

Spray Handpiece	Speed	Noise Level	Power Clamping System	Light Handpiece	Memory Function For Speed	Foot Switch (optional)	CE Mark	UKCA Mark

Domiciliary Drill Nail-X

Robust Nail Drill

Nail-X is a domiciliary drill, which features a control unit that was designed for use in pedicure, manicure and nail design. The control unit features an easy-to-clean front.

The Nail-X has a speed of up to 25.000 rpm has a very robust handpiece. Its clamping system is a unique twist clamping system to firmly hold the instruments (no slipping out of burs).

The robust handpiece is running smoothly and is ideal for the use in Nail Design and Pedicure. The optional carry case makes it easy to carry the drill around.



Control Unit	
Size in mm	W 114 x H 86 x D 183
Weight	0,9 kg
Voltage	230 V, 50 Hz, 65 W
Carry Cases	Optional
Conformity Mark	CE mark & UKCA mark

Handpiece	
Speed	6.000 - 25.000 rpm
Length	127 mm
Diameter	13 - 27 mm
Clamping System	Twist Clamping
Instrument Shaft Size	Ø 2,35 mm
Weight	145 g

Price			
Art. No	Description	Price Group	Price
6988	Nail-X with UK Plug	9	285,00 €
6989	Nail-X with German Plug	9	285,00 €
0873	Carry Case for Nail-X	1	29,99 €

Features

Speed	Twist Clamping System	Noise Level	CE Mark	UKCA Mark

Optional Carry Case 0873



Supplies & Spare Parts

hadewe

foot care equipment



hadewe

foot care equipment



Foot Care Carry Case

The Clever Case For Every Purpose

This carry case is manufactured in Germany, and has been especially designed for foot care. The unit doesn't have to be removed from the case, although you could remove the tray with the unit on it for easy operation.

The thermoplastic housing is made out of ABS (Acrylonitrile butadiene styrene) polymer, and therefore impact resistant, easy-to-clean, and persistent against most disinfection fluids.

Two removable drawers provide substantial space, and a padded handpiece holder, sturdy rolls and an extendable, telescopic arm make sure that a safe transport is supported.



EASY TRANSPORTATION



TWO DRAWERS INCLUDED



PADDLED HANDPIECE HOLDER

Technical Data	
Size in mm	W 490 x H 360 x D 260 mm (plus 30 mm carry handle)
Device compartment	W 420 x H 180x D 240 mm
Weight	3,8 kg
Suitable for	All hadewe units

Price			
Art. No	Description	Price Group	Price
0656	Carry Case	9	289,00 €

Carry Cases

The perfect companion for mobile foot care – your professional case

Practical & Mobile

Quick access

Integrated storage tray

Hygienic & Robust

Perfect fit

Equipped with a sturdy telescopic handle and smooth-running castors for effortless transport

Front opening for convenient working without tedious rearranging.

Everything at your fingertips – ideal for efficient on-site work.

The surfaces are easy to clean and resistant to disinfectants – for the highest hygiene standards.

The device compartment is designed so that all hadewe spray and suction devices (except Argos²) can be inserted securely and precisely – no slipping, maximum protection.



Available as of
Summer 2026

Carry Case Survey & Prices			
Art. No	7111	7112	7113
Drills suitable for carry case	All current hadewe spray and suction units		
Electric sockets (German Version only!)	DE		
Drawer			•
Rolls / telescope handle	•	•	•
Outside Dimensions in mm	W 480	W 480	W 480
	H 430	H 430	H 430
	D 360	D 360	D 360
Inside Dimensions in mm	W 460	W 460	W 460
	H 210	H 210	H 210
	D 220	D 220	D 220
Weight in kg	4,3	4,4	4,4
Price Group	9	9	9
Price	220,00 €	270,00 €	270,00 €



German Sockets only!



ART. NO 7111



ART. NO 7112



ART. NO 7113

Foot Rests

Foot Rest (Art. No. 0912)

This foot rest is with 1,1 kg a real light weight, and therefore perfect for the use during domestic work. Height (between 460-670 mm) and multiple angles are separately adjustable and will assist you in putting the foot, where you can best work on it. The extra steel reinforced jolt allows you to put weight on the comfortable cushion (measurements 220 x 170 x 50 mm). Maximum weight load 20 kg. The foot rest 0912 comes with a carry bag (W 690 x H 320 x D 240 mm).



Foot Rest (Art. No. 6559)

Made in Germany! hadewe has constructed this foot rest due to high demand. The material combination of aluminum and stainless steel leads to the low weight of 1,1 kg. Rotation angles are variably adjustable, and only available from hadewe: The height adjustment locks in place, so that the cushion will not slide down, even at higher workloads. The joints are made out of metal and are extremely resilient. The foot rest 6559 also comes with a carry bag (W 690 x H 320 x D 240 mm). Maximum weight load 40 kg. Height 520-620 mm.



Tool Tray Set (Art. No. 0219 & 6565)

These hard plastic trays allow you to keep all your tools and instruments within reach. You may connect them to the foot rests and can turn them 360° in all directions. The trays consist of hard to break plastic, and are resistant against liquids used for disinfection. The set contains 2 tool trays and 1 holder. Size per tray: W 260 x H 75 x D 360, Weight: 400 g.



Price			
Art. No.	Description	Price Group	Price
0912	Foot Rest light (with bag)	1	95,00 €
6559	Foot Rest robust (with bag)	9	119,00 €
0219	Tool Tray Set (2 pieces with holder) for 912	9	19,00 €
6565	Tool Tray Set (2 pieces with holder) for 6559, 6720-6724	9	25,00 €
8529	Foot Rest Bag (as replacement)	2	17,00 €

Footrest reLEGx

The Perfect Footrest - Colorful, Light And Robust

The ultimate footrest reLEGx is manufactured by hadewe in Germany. You can choose from five colors: blue, green, gray, black and white. The height adjustment locks firmly in place, so that the support cushion does not sink; even under heavy loads.

All joints are made of metal and are extremely resistant (for a load capacity of up to 40kg). The angle of inclination of the cushion can be variably adjusted. reLEGx's total weight is just 1,1 kg thanks to the combination of aluminum and stainless steel.

reLEGx uses artificial leather from the German manufacturer skai®. The cushion is easy to care for and resistant to disinfectants to prevent cytotoxic effects and skin irritations. Information on the compatibility with disinfectants can be found on the manufacturer's website (www.skai.com).



CHOOSE FROM 5 COLORS



CARRY BAG INCLUDED



ROBUST DESIGN

Technical Data	
Weight	1.1 kg
Height	520 bis 620 mm
Maximum workload	up to 40 kg
Size Carry bag	W 690 x H 320 D 240 mm
Upgradable with items	0231, 3508, 3671-3674, 6565

Price			
Art. No.	Description	Price Group	Price
6720	Foot Rest reLEGx with Bag - Green	9	129,00 €
6721	Foot Rest reLEGx with Bag - Blue	9	129,00 €
6722	Foot Rest reLEGx with Bag - White	9	129,00 €
6723	Foot Rest reLEGx with Bag - Grey	9	129,00 €
6724	Foot Rest reLEGx with Bag - Black	9	129,00 €
6565	Tool Tray Set (2 pieces with holder) for 6559, 6720-6724	9	25,00 €

Magnifying Light Spectra

The magnifying light Spectra can be used in flexible ways, since the included powerful clamp allows you to combine it with the hadewe foot rest, carry case, or all kinds of furniture and cabinets. The extra long arm enables ultimate positioning of the light. Heat is also not an issue with this product. In fact, you may transport it immediately after use.

Foot rest adapter included

Position the light close to the feet and keep or move it to an optimum position via the flexible arm and holder. For transport simply detach the light, and move the adapter under the foot rest.

Design shades in 3 colors included

Choose your lamp design according to your other furniture style. Spectra includes 3 shades for the lid to change the color to white, silver/grey, or blue.



Technical Data	
Foot Rest Supplement	Includes holder for foot rest 0912
Design Selection	Includes 3 design shades
Magnifying Glas	90 mm real glas with 3 dioptr
Measurements	Mains Cable 2,6 m, height 620 mm
Weight & Power	0,8 kg / 5,4 W
Flexible Arm Length	350 mm

Price			
Art. No.	Description	Price Group	Price
0272	Spectra LED with UK Plug	1	79,00 €
0231	Spectra LED with German Plug	1	69,00 €



Flex Catch Basin White (Art. No. 3508)

Keep your working space cleaner by using the flexible catch basin. This product consists out of a new easy-to-disinfect elastic material, which provides a soft basis to put your patients leg on, and to easily press it down, when working on the heel. Dust and excess spray water will be collected in the basin. The Flex Catch Basin can be rolled together for mobile transport, and also fits into our carry cases, or the bag of the foot rest. Size: W 330 x H 100 x D 510, Weight: 580 g



Price			
Artikel Nr.	Description	Price Group	Price
3508	Flex Catch Basin White	1	45,00 €
3508, 3671-3674	Flex Catch Basin (All Colours) 10 units	1	42,00 €
3508, 3671-3674	Flex Catch Basin (All Colours) 25 units	1	39,00 €
3508, 3671-3674	Flex Catch Basin (All Colours) 100 units	1	36,00 €
3671	Flex Catch Basin Green	1	45,00 €
3672	Flex Catch Basin Pink	1	45,00 €
3673	Flex Catch Basin Violet	1	45,00 €
3674	Flex Catch Basin Light Blue	1	45,00 €

Flex Catch Basin In Different Colors (Art. No. 3671-3674)

Would you like to bring a little color into your work space? The new flexible catch basins from hadewe in the variant colors green (Art. No. 3671), pink (Art. No. 3672), violet (Art. No. 3673), and light blue (Art. No. 3674) are perfect for that. The catch basins have the same measurements as the white version (Art. No. 3508), and also feature the new easy-to-disinfect elastic material, which is now even more resistant against alcohol, water and other fluid substances.

Equipment & Material Bags

The equipment and material bag allows you to transport your pedicure equipment and all accessories safely and neatly. Equipment and instruments remain protected and are immediately to hand. The bags impress with their high-quality workmanship, practical details and well-thought-out layout. Just right for professionals who value mobility and comfort.



lightweight & comfortable

For effortless carrying – ideal for mobile use

Everything at hand

The lid has numerous pockets for tools such as pliers, scissors and much more.

Individual organisation

Flexibly adjustable compartments thanks to plug-in dividers – for your accessories, exactly as you need them.

Practical fastening

With shoulder strap for comfortable carrying and retaining strap for secure attachment to the hadewe pedicure case.

Maximum stability

Interior with a robust plastic frame for secure hold and long service life.

EQUIPMENT BAG



Equipment Bag 6998

Size in mm	W 410 x H 300 x D 190
Suitable for	All hadewe units (except Argos)
Weight	2,1 kg

MATERIAL BAG



Material Bag 6997

Size in mm	W 410 x H 300 x D 120
Suitable for	All hadewe units (except Argos)
Gewicht	1,8 kg

Price			
Art. No.	Description	Price Group	Price
6998	Equipment Bag	9	120,00 €
6997	Material Bag	9	120,00 €
7064	Handpiece Protection	See Supply Pages	8,00 €

Micro Filter Bags



Special micro filters for all hadewe suction units.
To be exchanged after 50 work hours latest!

Art. No.	Description	Price *
5179	Micro Filter Bag (1 unit)	2,25 € / unit
5179	Micro Filter Bags (200 units)	2,09 € / unit
5179	Micro Filter Bags (500 units)	1,95 € / unit

Paper Filter Bags



Paper filters only for older hadewe suction units and SB-X 40.
To be exchanged after 50 work hours latest!

Art. No.	Description	Price *
5115	Paper Filter Bag (1 unit)	1,59 € / unit
5115	Paper Filter Bags (200 units)	1,25 € / unit
5115	Paper Filter Bags (500 units)	1,09 € / unit

Suction Unit Filter



Control unit filter for suction chamber of all hadewe suction units. To be exchanged after 200 work hours latest!

Art. No.	Description	Price *
3752	Suction Unit Filter For All Current Units	2,50 €
5116	Suction Unit Filter For Older Units (0940, etc)	4,50 €

Spray Washer



White washer for handpiece front tip of all hadewe spray units and some suction units.
To be exchanged every 4 weeks latest!

Art. No.	Description	Price *
4571	Spray Washer (1 unit)	0,85 € / unit
4571	Spray Washer (200 units)	0,75 € / unit
4571	Spray Washer (500 units)	0,65 € / unit

Spray Filter



Spray filter for water tank of all hadewe spray units.
Exchange every 2-4 months recommended.

Art. No.	Description	Price *
3497	Spray Filter	3,90 €

AquaHy



Concentrate Spray Fluid. 100 ml bottle AquaHy is for 5 liters demineralised water.

Art. No.	Description	Price *
8555	Spray Fluid AquaHy (100 ml)	19,90 €


Carry Case for Nail-X



Dimensions outside W 340 x H 275 x D 125 mm
Dimensions inside: W 320 x H 220 x D 110 mm

Art. No.	Description	Price *
0873	Carry Case for Nail-X	29,99 €


Carry Handle



Carry handle including assembly at the control unit by hadewe with unit order. For all hadewe suction & spray units.

Art. No.	Description	Price *
0200	Carry Handle for Suction Units	25,00 €

Handpiece Holder



Skid-proof handpiece holder suitable for all hadewe Handpieces

Art. No.	Description	Price *
0870	Handpiece Holder	12,99 €

Handpiece Holder for Units



Can be mounted to current hadewe units (screws included).

Art. No.	Description	Price *
0197	Handpiece Holder for Units	12,99 €

hadewe Carry Bag



For supplies (not suitable to carry units and foot rests)
Size: W 430 x H 279 x D 215 mm

Art. No.	Description	Price *
8528	Hadewe Carry Bag	17,00 €

Foot Rest Bag



For all hadewe Foot Rests. Size: W 690 x H 320 x D 240 mm

Art. No.	Description	Price *
8529	Foot Rest Bag	17,00 €

Instrument Holder



Holds up to 12 instruments (not included)

Stainless steel with self-locking Teflon elements.

Temperature resistant up to 250° C.

Art. No.	Description	Price *
6268	Instrument Holder	9,90 €

Handpiece Protection



Suitable transport protection for all hadewe handpieces

Art. No.	Description	Price *
7064	Handpiece Guard	8,00 €

Bur Shaft Tester



Test if your burs are bend or worn with this calibrated and highly recommended instrument.

Art. No.	Description	Price *
4990	Bur Shaft Tester	6,99 €

Maintenance Packages

2210




2211



2212



2213



These Maintenance Packages contain all the parts that are necessary for a regular maintenance carried out by a trained repair service department.

Art. No.	Description	Price *
2210	Maintenance Package for all Regular Drills	49,00 €
2211	Maintenance Package for all Suction Drills	59,00 €
2212	Maintenance Package for all Spray Drills	59,00 €
2213	Maintenance Package for all Combi Drills	69,00 €
2214	Maintenance Package for Xantos Nail	49,00 €
5870	Electronic Board Repair Kit for old SB Units (Art. No. 0940)	49,00 €

The total price is approx. the price for the parts. Please ask your distributor or service agency for an offer including the actual maintenance work itself.

Handpiece Double Cleaning Brush



For cleaning the chuck inside of handpieces with hadewe power clamping system.

Art. No.	Description	Price *
6158	Cleaning Brush (1 unit)	4,99 €
6158	Cleaning Brush (100 units)	3,99 €
6158	Cleaning Brush (250 units)	2,99 €

Handpiece Cleaning Brush for Nail-X



For cleaning the automatic clamping inside of handpieces Nail-X, Helius R, etc.

Art. No.	Description	Price *
4876	Nail-X Cleaning Brush	6,00 €

Technical Handpiece



Dental Technical Handpiece for old dental motors

Art. No.	Description	Price *
0110	Dental Technical Handpiece	199,00 €

Technical Suction Handpiece



Dental Technical Handpiece for old dental motors

Art. No.	Description	Price *
0110 A	Dental Technical Handpiece	199,00 €

Riviting Hammer



Riviting Hammer for Dental Technical Handpieces

Art. No.	Description	Price *
0137	Riviting Hammer	49,00 €

Additional hadewe Product Information

Are hadewe machines Made In Germany?

Almost all of our products are manufactured in Hannover, Germany. Our family company has been in the production business for over 50 years. We have a manufacturing facility with CNC machines in which even most of our smaller spare parts are produced. The machines themselves are also assembled in our factory in Hannover.

Are the hadewe machines Medical Devices?

No, none of the devices featured in this catalogue are Medical Devices. They are cosmetic foot care products for the international market. If you are a resident of the European Union, please ask for our EU catalogue where we offer additional products.

Do the hadewe machines have a conformity mark?

Yes, all electric machines in this catalogue are available in 2 versions. Either with UK plug and UKCA mark or with German plug and CE mark. hadewe does not deliver products with the UKNI mark (for Northern Ireland) or other conformity marks.

What is the purpose of use for the hadewe products?

The foot care products in this catalogue are non-medical devices and are used for drilling, grinding, milling, trimming and polishing in order to remove skin for cosmetic purposes only. They are explicitly not to be used to remove diseased skin.

What are the customs tariff codes for the hadewe products?

HS codes (**Harmonized System Codes**) are international product classification numbers used in global trade. The HS (**Harmonized Commodity Description & Coding System**) was developed and maintained by the WCO (**World Customs Organization**) to help customs authorities, governments, and businesses to identify goods when they are imported or exported. The first 6 digits of the customs numbers below are the HS codes.

The 8-digit customs goods numbers for the most important hadewe products are:

- 84672959 Rotating grinding machines (non-medical)
- 84679900 Parts for rotating grinding machines
- 90184990 Dental appliances
- 42021299 Domiciliary Cases
- 94032080 Foot Rests, trolleys & other furniture
- 94054099 Magnifying lamps
- 39269097 Basins, trays & goods made of plastics, etc.

How are the units cleaned or disinfected?

The hadewe devices are designed to be compatible with rotating instruments which do not penetrate the skin or mucosal, or inadvertently may still cause injuries. For this application the following cleaning and disinfection instructions have to be carried out after every treatment:

- Remove the rotating tool (e.g. bur, capper, etc.) first. Then handle the tool according to the manufacturer's instructions.
- Remove tissue remains by wiping off the unit with a mildly moistened paper cloth. Afterwards clean all surfaces with disinfection cloth (for example the German Mikrozid AF Tücher of Schülke and Mayr). There is no limit to the number of times this device can be cleaned and disinfected during its lifespan.

Is hadewe an Authorized Economic Operator (AEO)?

Yes, we are an approved **Authorized Economic Operator**. The AEO concept is one of the main building blocks within the **WCO (World Customs Organisation)**, using the **SAFE Framework of Standards (SAFE)** to guide international Customs Administrations towards a harmonised approach.



Does hadewe have an EORI number?

Yes, our **EORI (Economic Operators Registration and Identification)** number is DE2966069.

Which filter bags are hadewe recommending for the which application?

The **Bundesgenossenschaftliches Institut für Arbeitssicherheit (BIA)** in Sankt Augustin is the **German institute for Health and Safety in work environment**. Filter media used in dust removal machines (SBM) is tested in accordance to the SBM dust class DIN EN 60335-2-69 appendix AA. The maximum degree of permeability (of the lowest and highest filter surface load) decides whether a filter material is classified as L, M or H class.

5115: Paper filter recommended application: foot care salon, no pathogenic agent present
dust retention capacity: 99%
standard: BIA class L

5179: Micro fleece filter recommended application: hospital, podiatry/chiropractic
dust retention capacity: 99,9%
standard: BIA class M

Volume of Work (suction capacity)

The volume of work (measured as air flow in liters per minute) is

- for turbine units (Auroria/Veloria/Medeas): **approx. max. 285 l/min**

- for brush motor units (Helius/SB): **approx. max. 200 l/min**

Please note that there is no unified measuring technique, nor are there any EU or government guidelines for foot care drills for this value. There are many different ways to measure the suction capacity and multiple factors that affect the output of such a figure. These factors include the various entry points and diameters of handpiece, suction tube, the suction motor itself, as well as the tube length, volume flow & velocity, or even the distance to the instrument or patient work area.

Manufacturers use different measuring techniques, which makes comparison of these figures very unreliable.

Until a unified measuring specification for the foot care industry is established, we will not list these values in the respective data sheets for the individual products (as we list precisely defined figures as speed, voltage, etc.), but rather as approximate values in the common FAQ area.

Which instruments does hadewe recommend for use with the drills?

Hadewe offers a supplement line of high-quality instruments made in Germany, and we strongly recommend using only these or similar high quality instruments with a shaft of Ø 2,35 mm.

Also make sure to uphold the following rules.

- Broken or deformed cutters and burs cause vibrations and lead to rough surfaces and high temperatures.
- Empty spaces on diamond instruments are indicating a missing abrasive grain, which in turn suggests a dull instrument. Using dull instruments leads to high temperatures and may cause damage on the tissue!
- Any bent and uneven/roughly running instruments must be sorted out immediately.
- Avoid using too much pressure by all means, since this may cause heightened temperature.

What is the recommended speed for burs and instruments?

The speed of an instrument is depending on the application it is used for. The maximum speed is further indicated on the manual and packaging label of the individual instrument. These separate manuals are overriding any instructions and recommendations listed here.

Some general speed recommendations:

- The bigger the instrument's head is, the lower the speed has to be!
- Recommendation (for example "max. 6.000 - 100.000 min⁻¹") means the instrument is suitable for micro motor handpieces (or turbines) up to the specified speed.
- When using instruments with a higher diameter than the shank diameter (especially large instruments, like cap polishers) high centrifugal forces can occur at higher speed. This could lead to bending of the shank and/or breaking of the instrument. For that reason never exceed the maximum speed indicated on the label.

How are the burs and instruments cleaned or disinfected?

The exact procedures of how to handle the instruments have to be followed from the **General Use & Safety Instructions For Rotating Instruments** (manual) of each individual tool. The Adequate Use, Directions for Storing and Conditioning and the Recommended Procedure thereof are listed in the instrument's manual. These separate manuals are overriding any instructions and recommendations listed here.

Here are some general recommendations in regard to cleaning agents.

- The cleaning agent has to be aldehyde-free to prevent protein fixation on the material
- It has to be alkaline-based
- It has to be DGHM tested
- They should never be used in a chemical disinfectant
- They should not contain hydrogen peroxide
- The cleaning agent must never contain any chloride content or saline solutions (this will lead to corrosion)

Here are some general directions in regard to the material tolerance:

- Always use cleaning or disinfection agent with corrosion Protection (which is aldehyde-free, alkaline, and DGHM-tested)
- Polishers and corundum burs are to be conditioned with suitable alcohol-free agents
- Most instruments from the hadewe instrument catalogue are suitable for sterilization in an autoclave at 134°C or for hot air sterilization at 180°C. Exceptions are polishers and corundum burs, which may only be autoclaved at 134°C. The carriers (holders/retainers) of the cap polishers may only be sterilized in the autoclave's easy program at 121°C. The caps themselves and the polishing brushes may not be conditioned! They are disposable.
- The end of an instrument's life is defined by use and attrition.

Some recommended cleaning agents from German manufacturers are:

- Schuelke Rotasept
- Komet Dental DC1



hadewe GmbH
Grambartstraße 10
30165 Hannover
Germany

Phone +49 (511) 336 399 - 12
Repair Service +49 (511) 336 399 - 22
Fax +49 (511) 336 399 - 11

Email export@hadewe.de
Repair Service service@hadewe.de
Website www.hadewe.net

The export distribution of hadewe units is handled by our export partners in the individual countries. This distribution includes consultation, sale of units and supplies, repair handling and after sale service.

The prices listed in this export distributor catalogue are our suggested retail prices. Please ask your hadewe dealer for the actual prices including tax, freight, customs and other surcharges. Technical specifications and prices are subject to change without prior notice.